






A B C D E F G H I J

1 2 3 4 5 6 7 8



A ↑

A (1:1)



300-112, 3nm, 360 Deg. White, 400-034
Promount, Cable Side.


DRAWING NO.: 300-112 BS	REV. NO.: 0	SIZE: A3	DRAWN BY: Pauls Parallels
SCALE: 1:1	TOLERANCES: DS/ISO 2768-f	REVIEWED BY: JM	CREATION DATE: 25-09-2014
MATERIAL DESCRIPTION: Alu EN 6082, Acrylic.			
<small>(20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F</small>			
<small>This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.</small>			




LOPOLIGHT

Lopolight ApS
Ved Klaedebo 12
DK-2970, Hoersholm
Denmark


www.lopolight.com

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32
info@lopolight.com






B (1 : 1)



$\phi 81,6$

Mounting Hole
M6x1 - 10,0mm DEEP



300-112, 3nm, 360 Deg. White, 400-034
Promount, Cable Down.

DRAWING NO.:	REV. NO.:	SIZE:	DRAWN BY:
300-112 CS	0	A3	Pauls Parallels
SCALE:	TOLERANCES:	REVIEWED BY:	CREATION DATE:
1:1	DS/ISO 2768-f	JM	25-09-2014

MATERIAL DESCRIPTION:
Alu EN 6082, Acrylic, PE (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F


This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.







Lopolight ApS
Ved Klaedebo 12
DK-2970, Hoersholm
Denmark

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32
info@lopolight.com


50MM AT A3





White 360

C (1 : 2)




Mounting Hole
Ø6,1 THRU

Ø92,5

Ø130,00

Mounting Hole
Ø6,1 THRU



Ø111,20

120°

300-112, 3nm, 360 Deg. White, 400-034			
Promount,400-404 PE Base Plate, Cable Side.			
DRAWING NO.:	REV. NO.:	SIZE:	DRAWN BY:
300-112 DS	0	A3	Pauls Parallels
SCALE:	TOLERANCES:	REVIEWED BY:	CREATION DATE:
1:1	DS/ISO 2768-f		25-09-2014
MATERIAL DESCRIPTION:			
Alu EN 6082, Acrylic, PE		(20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F	
This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.			







LOPOLIGHT

Lopolight ApS
Ved Klaedebo 12
DK-2970, Hoersholm
Denmark

www.lopolight.com

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32
info@lopolight.com

50MM AT A3



300-112 , 3nm, 360 Deg. White, 400-034
 Promount, 400-034 PE Base Plate, Cable
 Down.

DRAWING NO.:	REV. NO.:	SIZE:	DRAWN BY:
300-112KD	0	A3	Pauls Parallels
SCALE:	TOLERANCES:	REVIEWED BY:	CREATION DATE:
1:1	DS/ISO 2768-f	JM	25-09-2014

MATERIAL DESCRIPTION:
 (20µ) Silver anodized according to EN ISO 7599
 (50µ) Black anodized according to MIL-A 8625F
 Alu EN 6082, Acrylic, PE

LOPOLIGHT

Lopolight ApS
 Ved Klaedebo 12
 DK-2970, Hoersholm
 Denmark




www.lopolight.com

This Drawing, and the information within, is the property of Lopelight ApS and may not be used in any form without express permission there from. Lopelight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.


Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32
 info@lopolight.com

360 Degree White


50MM AT A3



F (1 : 1)



Mounting Hole
M6x1 - 8,0mm DEEP



300-112, 3nm, 360 Deg. White, 400-035
Promount, Cable Down.


DRAWING NO.:	REV. NO.:	SIZE:	DRAWN BY:
300-112 FS	0	A3	Pauls Parallels
SCALE:	TOLERANCES:	REVIEWED BY:	CREATION DATE:
1:1	DS/ISO 2768-f		25-09-2014
MATERIAL DESCRIPTION:		(20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F	
Alu EN 6082, Acrylic.			

LOPOLIGHT


Lopolight ApS
Ved Klaedebo 12
DK-2970, Hoersholm
Denmark

www.lopolight.com


Tel: (+45) 32 48 50 30 Fax: (+45) 32 48 50 32
info@lopolight.com







This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



White 360



G (1 : 2)



300-112, 3nm, 360 Deg. White, 400-035
Promount, 400-401 PE Base Plate, Cable
Down.

DRAWING NO.:	REV. NO.:	SIZE:	DRAWN BY:
300-112 GS	0	A3	Pauls Parallels
SCALE:	TOLERANCES:	REVIEWED BY:	CREATION DATE:
1:1	DS/ISO 2768-f		25-09-2014

MATERIAL DESCRIPTION: (20µ) Silver anodized according to EN ISO 7599 (50µ) Black anodized according to MIL-A 8625F
Alu EN 6082, Acrylic.

This Drawing, and the information within, is the property of Lopolight ApS and may not be used in any form without express permission there from. Lopolight reserves the right to change this drawing and assumes no liability for the information communicated herein. Use of dimensions and other information in this drawing is at the users own risk.



Lopolight ApS
Ved Klaedebo 12
DK-2970, Hoersholm
Denmark

Tel:(+45) 32 48 50 30 Fax:(+45) 32 48 50 32
info@lopolight.com

50MM AT A3